

MAVERICK 224

BLENDING PLANT



**PRECISION
BLENDING**



FEATURES


INTELLIGENT OPERATING SYSTEM

- Continuous Weighing of materials for unrivalled accuracy
- Effortlessly store multiple mix recipes
- Log production data
- Accurately batch set amounts of material



HIGH ENERGY MIXING CHAMBER

- Removable mixing shaft
- Variable speed single mixing shaft
- Wearlined with bolt on pads



POWERED BY CAT

- CAT C3.6 100Kw (134Hp) Engine
- U.S. EPA & CARB Tier 4 Final, EU Stage V
- LRC Engine option available



LARGE VOLUME HOPPERS

- Two hoppers 12m³ each
- Direct feed from 3 sides
- Wearlined with steel liners








MATERIAL VOLUME SENSORS

- Ultrasonic material level sensors
- Traffic light system
- Automated stop/start sequence if no material detected



VERSATILE PROCESSING FOR VARIOUS MATERIALS.

-  Compost
-  Aggregates
-  Coal
-  Sand
-  Soil
-  Saw Dust

WWW.TERRACON.CO.UK

MAVERICK 224

1200mm (47") wide discharge conveyor providing a
max stockpile height of 3650mm (12')

Continuous Weighing System For Accurate Mixing

Single shaft mixing chamber with variable
mixing speeds - shaft can be deactivated for
larger particles to pass through

Hydraulic jack legs

Hydraulic driven, remote controlled
tracks for easy on site mobility

CAT C3.6 100Kw (134Hp) Engine U.S. EPA & CARB
Tier 4 Final, EU Stage V LRC Engine option available

PERFORMANCE SPECIFICATION

Engine	Weight	Feeder Belt Width	Hopper Volume	Production Rate
CAT C3.6 100Kw (134Hp)	25,000kgs	1000mm (39")	2 x 12m ³ (16yd ³)	Up to 1000 TPH
WIDTH WORKING	LENGTH WORKING	WIDTH TRANSPORT	LENGTH TRANSPORT	HEIGHT TRANSPORT
8811mm (28'-11")	11429mm (37'-6")	2900mm (9'-6")	12206mm (40'-1")	3144mm (10'-4")

 YouTube




WWW.TERRACON.CO.UK



TERRACON

WWW.TERRACON.CO.UK



CONTACT

📍 Ronan Valley Business Park
58 Ballyronan Road,
Magherafelt | Co. Derry | BT456EW

☎ +44 28 7944 1099

✉ info@terracon.co.uk

CONTACT US HERE

